

अनुरक्षण एवं अभियांत्रिकी इकाई MAINTENANCE & ENGINEERING UNIT भाकृअनुप-भारतीय कृषि अनुसंधान संस्थान ICAR-INDIAN AGRICULTURAL RESEARCH INSTITUTE नई दिल्ली-१२ NEW DELHI-12.



No. 33-71/24-25/ME Unit

Dated: 10.03.2025

e-TENDER SHORT NOTICE

Online quotation are hereby invited on behalf of the Director, IARI from the Contractors Registered with CPWD, MES, Railways, MCD, PWD or other Central/State Govt./Semi Govt. The contractor must have valid PAN and GST registration number and having experience of two similar nature of works in last three years for the work mentioned below:

Name of work & locationConstruction of Polyhouse in	Estimated cost (₹)	Earnest Money (₹)	Last date & time of bid submission	Date & time of bid opening
ivision of FHT at IARI Pusa, ew Delhi-12.	₹ 9,43,766.00	₹ 19,000.00	Upto14:30 hours 17.03.2025	18.03.2025 at15:00 hours

₹ 19,000/- (Rupees Nineteen Thousand Only) should be in the form of D.D./Pay Order/Fixed Deposit Receipt/Bank Guarantee from commercial bank drawn in favour of Director, IARI payable at New Delhi. The original EMD shall be submitted to the Tender Inviting Authority on or before the last date and time of online bid submission. The details of D.D./Pay Order/Fixed Deposit Receipt/Bank Guarantee physically sent, should tally with the details available in the scan copy and the data entered during the online bid submission time otherwise the uploaded bid will be rejected.

The Online Tender Documents are available on IARI Website www.iari.res.in. & Central Portal www.eprocure.gov.in . Bids are to be submitted on central portal i.e. www.eprocure.gov.in .

Admn. Officer (Works)

33-71/24-25				1/24-25/ME	
S.N	Construction of Polyhouse Division of FHT at IARI Pusa, New Delhi-12. Particular	Qty.	Unit	Rate	Amount
0		-			
	Earth work in excavation by mechanical means (Hydraulic excavator) /manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m,				
	including getting out the excavated soil and disposal				
	of surplus excavated soil as directed, within a lead of 50 m.				
	All kinds of soil.	2.00	cum	260.30	521
)	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All	2.00		200.00	
	work up to plinth level :				
)	1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)	5.00	cum	7878.50	39393
)	1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size)	4.00	cum	5205.25	20821
	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
	Cement mortar 1:4 (1 cement : 4 coarse sand)	7.00	cum	7370.65	51595
	12 mm Cement plaster 1:3 (1 cement: 3 coarse sand)	25.00	sqm	357.35	8934
	15 mm cement plaster 1:3 (1 cement: 3 coarse sand)	20.00	sqm	411.75	8235
	Galvanised steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting,		~ 1		
	hoisting, fixing in position				
	and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc.				
	complete.				
	G.I. tube	700.00	kg	203.05	142135
	P/f mulitiwall polycarbonate sheet 10mm thickness of approved by enigneer-in-charge, the sheet shall be fixed using self				
	drilling /self tapping screws with aluminium/G.I. profiles to fix the sheet complete, upto any pitch in horizontal/ vertical or				
	curved surfaces, including cutting to size and	150.00	sqm	1550.00	232500
	shape wherever required, as desired by engineer-in-charge.				
	P/f evaporative cooling system of 100 mm cellulose pads of coldek make with G.I. tray of 18 gauge with CPVC piping				
	system & rainage of 32mm dia	0.00			
	with prefilters (CACBA ISI 25to25 VISCOUS filter for 30 efficiency) with galvanised fastners and aluminium rivets,	8.00	sqm	7500.00	60000
	complete as per specification with 500 liters PVC tank and 1HP monoblock single phase pump of crompton or equivalent				
	make.				
	Making arrangements for manual rolling of screens of 50% green shade net material of UV resistant, as per the direction of engineer-in-charge.	36.00	aam	750.00	27000
0	P/f axial flow fans of size 36" i/c making necessary arrangements, as per the direction of engineer-in-charge.	2.00	sqm each	28000.00	56000
	P/f of Humidification system for humidity range 50% to 95% with 6 nos. of 4-way nozzle foggers in chamber of discharge	2.00	each	28000.00	50000
1	range 7 liters per hour operating pressure 4.0 bar with density 4.00 sqm per fogger of DAN (Israel)/net fin make with 16mm				
	HDPE black pipng (10 kg/sqcm) average droplet size 50 to 100 cm with 1 HP monoblock single phase pump of crompton				
	or equivalent make with 500 litre PVC tank over a MS frame with water supply CPVC pipe line of 32/25 mm dia, pressure				
	meter of 10 bar capacity, with Hydro Cyclone filters, having leakage prevention device and	1.00	set	60000.00	60000
	control valve assembly complete.	1.00	501	00000.00	00000

	 The work shall be executed as per CPWD specifications. The Director, IARI has the right to reject any or all the quotation/tenders without assigning any reason. 				
	8. A running payment may be made of athe successful completion of work for 1/2nd or more amount of work.				
	7. The rates remain valid for 90 days from the date of opening of quotations/tenders.				
	6. All the materials, laboures, T&P etc. required will be arranged by the firms itself.				
	bill amount maximum upto 10%.	•	•		
	5. The work shall start within 2 days from the date of award and complete within 20days failing which a penalty @ 1% per	day del	ay wi	l be imposed	l on the
	4. 1% water and electrical charges will be recovered from the bill if supplied by the Department.				
	 Income Tax, work Tax & work cess as per norms shall be recovered from the bill. 				
	 Samples of polycarbonate sheet/G.I. pipes/shade net to be submitted. 	u de en	closed).	
ubj	ect to be following terms & conditions:- 1. The firm should have minimum experience of 3 years for construction of polyhouse/green house/ net house (Proof shoul	d ba an	closed)	
· 1- :				943766	
	charge. TOTAL			042566	
	upto 15m and all related works like connection etc. and as per the direction of engineer-in-				
	with copper wire, MCB/main switch/light/power points/ connections with motors and also cablling work of alunimium of				
	Relative humidity and temperature real time controller, Time forlight, individual indicator. b)Complete electrical wiring	1.00	set	150000.00	150000
	installed in Pre entry area, power input 220-415 VAC, 50Hz. Three/single phase, Ambient5-50degree celcius, RH upto90%.				
5	Automatic control system:- a)Microprocessor based user friendly for temperature, humidity and light dual mode function				
	25 mm nominal outer dia Pipes	30.00	Rm	355.40	10662
)	20 mm nominal outer dia Pipes	40.00	Rm	274.30	10972
	cement and testing of joints complete as per direction of Engineer in Charge.				
	jointing of pipes & fittings with one step CPVC solvent				
	including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes				
	RO system:- Industrial RO 50lit/hrs capacity with 200 lit storage tank. Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply,	1.00	each	33000.00	55000
3	$(\mathbf{D} \cap \mathbf{D})$ such as $\mathbf{D} \cap \mathbf{D} \cap \mathbf{D} \cap \mathbf{D}$	1 00	each	35000.00	35000

Special Instructions to the Contractors/Bidders for the e-submission of the bids online through this e-Procurement Portal

- 1. Bidder should do Online Enrolment in this Portal using the option Click Here to Enroll available in the Home Page. Then the Digital Signature enrolment has to be done with the e-token, after logging into the portal. The e-token may be obtained from one of the authorized Certifying Authorities such as eMudhraCA/GNFC/IDRBT/MtnlTrustline/SafeScrpt/TCS.
- 2. Bidder then logs into the portal giving user id / password chosen during enrolment.
- 3. The e-token that is registered should be used by the bidder and should not be misused by others.
- 4. DSC once mapped to an account cannot be remapped to any other account. It can only be Inactivated.
- 5. The Bidders can update well in advance, the documents such as certificates, purchase order details etc., under My Documents option and these can be selected as per tender requirements and then attached along with bid documents during bid submission. This will ensure lesser upload of bid documents.
- 6. After downloading / getting the tender schedules, the Bidder should go through them carefully and then submit the documents as per the tender document, otherwise, the bid will be rejected.
- 7. The BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant coulmns, else the bidder is liable to be rejected for that tender. Bidders are allowed to enter the Bidder Name and Values only.
- 8. If there are any clarifications, this may be obtained online through the e-Procurement Portal, or through the contact details given in the tender document. Bidder should take into account of the corrigendum published before submitting the bids online.
- 9. Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender schedule and they should be in PDF/XLS/RAR/DWF formats. If there is more than one document, they can be clubbed together
- 10. Bidder should arrange for the EMD as specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission date and time for the tender
- 11. The bidder reads the terms and conditions and accepts the same to proceed further to submit the bids.
- 12. The bidder has to submit the tender document(s) online well in advance before the prescribed time to avoid any delay or problem during the bid submission process.
- 13. There is no limit on the size of the file uploaded at the server end. However, the upload is decided on the Memory available at the Client System as well as the Network bandwidth available at the client side at that point of time. In order to reduce the file size, bidders are suggested to scan the documents in 75-100 DPI so that the clarity is maintained and also the size of file also gets reduced. This will help in quick uploading even at very low bandwidth speeds.
- 14. It is important to note that, the bidder has to Click on the Freeze Bid Button, to ensure that he/she completes the Bid Submission Process. Bids Which are not Frozen are considered as Incomplete/Invalid bids and are not considered for evaluation purposes.
- 15. In case of Offline payments, the details of the Earnest Money Deposit(EMD) document submitted physically to the Department and the scanned copies furnished at the time of bid submission online should be the same otherwise the Tender will be summarily rejected.
- 16. The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues.
- 17. The bidder may submit the bid documents online mode only, through this portal. Offline documents will not be handled through this system.
- 18. At the time of freezing the bid, the e-Procurement system will give a successful bid updation message after uploading all the bid documents submitted and then a bid summary will be shown with the bid no, date & time of submission of the bid with all other relevant details. The documents submitted by the bidders will be digitally signed using the e-token of the bidder and then submitted.
- 19. After the bid submission, the bid summary has to be printed and kept as an acknowledgement as a token of the submission of the bid. The bid summary will act as a proof of bid submission for a tender floated and will also act as an entry point to participate in the bid opening event.
- 20. Successful bid submission from the system means, the bids as uploaded by the bidder is received and stored in the system. System does not certify for its correctness.
- 21. The bidder should see that the bid documents submitted should be free from virus and if the documents could not be opened, due to virus, during tender opening, the bid is liable to be rejected.
- 22. The time that is displayed from the server clock at the top of the tender Portal, will be valid for all actions of requesting bid submission, bid opening etc., in the e-Procurement portal. The Time followed in this portal is as per Indian Standard Time (IST) which is GMT+5:30. The bidders should adhere to this time during bid submission.
- 23. All the data being entered by the bidders would be encrypted at the client end, and the software uses PKI encryption techniques to ensure the secrecy of the data. The data entered will not be viewable by unauthorized persons during bid submission and not viewable by any one until the time of bid opening. Overall, the submitted bid documents become readable only after the tender opening by the authorized individual.
- 24. During transmission of bid document, the confidentiality of the bids is maintained since the data is transferred over secured Socket Layer(SSL) with 256 bit encryption technology. Data encryption of sensitive fields is also done.
- 25. The bidders are requested to submit the bids through online eProcurement system to the TIA well before the bid submission end date and time (as per Server System Clock.

The following documents (Scan copy) must be furnished upload with the technical bid failing which tender will not be accepted at all.

- 1. GST/ PAN card copy
- 2. Registration certificate of CPWD, MES, Railways, MCD, PWD or other Central/State Govt./Semi Govt .
- 3. Certificate declaring that the firm has not been debarred/Black listed by the Govt. Deptt./Court of law for doing any business in India.
- 4. Receipt of deposition of original EMD
- 5. Bid Security Declaration Document
- 6. The tender documents duly signed by the concerned firm accepting the same should be attached with technical bid.
- 7. The firm should have experience of two similar nature of works in last three years. Firm should submit experience certificate with work orders in support.

Prescribed format of receipt of deposition of original EMD :-

	Receipt of deposition of original EMD (Receipt No)
1.	Name of work
2.	NIT No
3.	Amount of Earnest Money Deposit
4.	Last date of submission of bid
5.	Agency Name
6.	EMD No. & Date
7.	EMD Amount & Last Date

This receipt shall also be uploaded to the CPP Portal by the intending bidder upto the specified bid submission date and time.

Tender Cell, ME Unit

FORMAT OF BID SECURITY DECLARATION FROM BIDDERS IN LIEU OF EMD (On Bidders Letter head)

I / We, the authorized signatory of M/s...., participating in the subject tender No.for the item / job of, do hereby declare :

- ➤ That I / we have availed the benefit of waiver of EMD while submitting our offer against the subject Tender and no EMD being deposited for the said tender.
- ➤ That in the event we withdraw/modify our bid during the period of validity or I/we fail to execute formal contract agreement within the given timeline or I/we fail to submit a Performance Security within the given timeline or I/we commit any breach of Tender Conditions/ Contract which attracts penal action of forfeiture of EMD and I/we will be suspended from being eligible for bidding / award of all future contract(s) of ME Unit, Directorate, IARI, New Delhi-11012 for a period of one year from the date of committing such breach.

Signature and Seal of Authorised Signatory of bidder

Name of Authorized Signatory.....

Company Name.....

CERTIFICATE TO BE SIGNED BY THE TENDERER

It is certified that I have read and understood and will comply with all instructions contained in Terms & conditions of this tender documents. All pages submitted with this tender document from page _____ to _____ have been filled properly and signed with seal of the firm/company.

Signature of tenderer:
Name in block letters:
Name of firm:
Full address:

i)	Telephone No. :
ii)	Mobile No. :
iii)	Fax No. :
iv)	Email ID :

Signature of Tenderer with office seal