

अनुरक्षण एवं अभियांत्रिकी इकाई MAINTENANCE & ENGINEERING UNIT भाकृअनुप-भारतीय कृषि अनुसंधान संस्थान ICAR-INDIAN AGRICULTURAL RESEARCH INSTITUTE नई दिल्ली-१२ NEW DELHI-12.



No. 32-62/23-24/ME Unit Dated: 09.02.2024

e-TENDER NOTICE

Online quotation are hereby invited on behalf of the Director, IARI from the Contractors Registered with CPWD, MES, Railways, MCD, PWD or other Central/State Govt./Semi Govt. The contractor must have valid PAN and GST registration number and having experience of two similar nature of works in last three years for the work mentioned below:

Name of work & location	Estimated cost (₹)	Last date & time of bid	Date & time of bid
Construction of permanent racks and other	cost (x)	submission	opening
misc. work in new allotted room for pension	₹ 269112.00	Upto14:30	05.03.2024
section in annexxe building, Directorate at		hours	at15:00 hours
IARI PUSA, New Delhi12.		04.03.2024	

The Online Tender Documents are available on IARI Website www.iari.res.in. & Central Portal www.eprocure.gov.in. Bids are to be submitted on central portal i.e. www.eprocure.gov.in

Admn. Officer (Works)

Construction of permanent racks and other misc. work in new allotted room for pension section in annexxe building, Directorate at IARI PUSA, New Delhi.-12.

S.No.	Particular	Qty	Unit	Rate	Amount
1	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting				
	the patch in proper shape, raking out joints and preparing and plastering the surface of the walls				
	complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-				
	Charge.				
	With cement mortar 1:4 (1cement: 4 coarse sand)	30.00	sqm	478.00	14340
2	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal				
	of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar				
		0.50	cum	1698.45	849
3	P/f of RCC lintel over door of size (2.5x 0.23x 0.23)m i/c shuttering, p/f reinforcement, P/L RCC(1:1.5:3) and				
	making other necessary arrangements as per the direction of engineer-in-charge.	1.00	each	2500.00	2500
4	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above				
	plinth level up to floor V level in all shapes and sizes in :				
	Cement mortar 1:4 (1 cement : 4 coarse sand)	4.00	cum	8512.10	34048
5	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for				
	kitchen platforms, vanity counters, window sills, facias and similar locations of required size,				
	approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand),				
	joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing,				
	moulding and polishing to edges to give high gloss finish etc. complete at all levels.				
	Granite stone slab all colour and texture except black, Cherry/Ruby red. Area of slab over 0.50 sqm	45.00	sqm	3301.45	148565
6	12 mm cement plaster of mix :1:4 (1 cement: 4 coarse sand)	26.00	sqm	307.25	
7	15 mm cement plaster on rough side of single or half brick wall of mix:1:4 (1 cement: 4 coarse sand)	26.00	sqm	354.50	9217
8	Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred				
	and welded, including fixing of necessary butt hinges and screws and applying a priming coat of				
	approved steel primer.				
	Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement				
	: 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	25.00	kg	114.65	2866
9	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset				
	plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of				
	approved steel primer.				
	Using M.S. angels 40x40x6 mm for diagonal braces	2.10	sqm	4781.15	10040
10	P/f chajja with MS tubular section of 25x25mm section i/c p/f fiber sheet of 3mm thickness, making holes of				
	cutting of walls also finishing the surface by making necessary arrangements, as per the direction of engineer-				
	in-charge.	1.50	sqm	3500.00	5250

11	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the				
	manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make,				
	in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing				
	with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching				
	pigments etc., complete. Size of Tile 600x600 mm	15.00	sqm	1416.65	21250
12	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface				
	Water thinnable cement primer	115.00	sqm	64.45	7412
13	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an				
	even shade :				
	Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved				
	brand and manufacture	25.00	sqm	191.40	4785
	TOTAL				269112
	Add GST @ 6.33%	% 1703		17035	
	G. Total				269112

Subject to be following terms & conditions:-

- 1. The work shall be executed as per CPWD specifications.
- 2. Income Tax, work Tax & work cess as per norms shall be recovered from the bill.
- 3. 1% water and electrical charges will be recovered from the bill if supplied by the Department.
- 4. The work shall start within 7 days from the date of award and complete within 30 days failing which a penalty @ 1% per day delay will be imposed on the bill amount maximum upto 10%.
- 5.All the materials, laboures, T&P etc. required will be arranged by the firms itself.
- 6. Any other item to be required at site to complete the work will be executed as per the lowest quoted rates on DSR-2021.
- 6. The rates shall remain valid for 90 days from the date of opening of quotations/tenders.
- 7.A running payment may be made of athe successful completion of work for 1/2nd or

Special Instructions to the Contractors/Bidders for the e-submission of the bids online through this e-Procurement Portal

- 1. Bidder should do Online Enrolment in this Portal using the option Click Here to Enroll available in the Home Page. Then the Digital Signature enrolment has to be done with the etoken, after logging into the portal. The e-token may be obtained from one of the authorized Certifying Authorities such as eMudhraCA/GNFC/IDRBT/MtnlTrustline/SafeScrpt/TCS.
- 2. Bidder then logs into the portal giving user id / password chosen during enrolment.
- 3. The e-token that is registered should be used by the bidder and should not be misused by others.
- 4. DSC once mapped to an account cannot be remapped to any other account. It can only be Inactivated.
- 5. The Bidders can update well in advance, the documents such as certificates, purchase order details etc., under My Documents option and these can be selected as per tender requirements and then attached along with bid documents during bid submission. This will ensure lesser upload of bid documents.
- 6. After downloading / getting the tender schedules, the Bidder should go through them carefully and then submit the documents as per the tender document, otherwise, the bid will be rejected.
- 7. The BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant coulmns, else the bidder is liable to be rejected for that tender. Bidders are allowed to enter the Bidder Name and Values only.
- 8. If there are any clarifications, this may be obtained online through the e-Procurement Portal, or through the contact details given in the tender document. Bidder should take into account of the corrigendum published before submitting the bids online.
- 9. Bidder, in advance, should prepare the bid documents to be submitted as indicated in the tender schedule and they should be in PDF/XLS/RAR/DWF formats. If there is more than one document, they can be clubbed together
- 10. Bidder should arrange for the EMD as specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission date and time for the tender
- 11. The bidder reads the terms and conditions and accepts the same to proceed further to submit the bids.
- 12. The bidder has to submit the tender document(s) online well in advance before the prescribed time to avoid any delay or problem during the bid submission process.
- 13. There is no limit on the size of the file uploaded at the server end. However, the upload is decided on the Memory available at the Client System as well as the Network bandwidth available at the client side at that point of time. In order to reduce the file size, bidders are suggested to scan the documents in 75-100 DPI so that the clarity is maintained and also the size of file also gets reduced. This will help in quick uploading even at very low bandwidth speeds.
- 14. It is important to note that, the bidder has to Click on the Freeze Bid Button, to ensure that he/she completes the Bid Submission Process. Bids Which are not Frozen are considered as Incomplete/Invalid bids and are not considered for evaluation purposes.
- 15. In case of Offline payments, the details of the Earnest Money Deposit(EMD) document submitted physically to the Department and the scanned copies furnished at the time of bid submission online should be the same otherwise the Tender will be summarily rejected.
- 16. The Tender Inviting Authority (TIA) will not be held responsible for any sort of delay or the difficulties faced during the submission of bids online by the bidders due to local issues.
- 17. The bidder may submit the bid documents online mode only, through this portal. Offline documents will not be handled through this system.
- 18. At the time of freezing the bid, the e-Procurement system will give a successful bid updation message after uploading all the bid documents submitted and then a bid summary will be shown with the bid no, date & time of submission of the bid with all other relevant details. The documents submitted by the bidders will be digitally signed using the e-token of the bidder and then submitted.
- 19. After the bid submission, the bid summary has to be printed and kept as an acknowledgement as a token of the submission of the bid. The bid summary will act as a proof of bid submission for a tender floated and will also act as an entry point to participate in the bid opening event.
- 20. Successful bid submission from the system means, the bids as uploaded by the bidder is received and stored in the system. System does not certify for its correctness.
- 21. The bidder should see that the bid documents submitted should be free from virus and if the documents could not be opened, due to virus, during tender opening, the bid is liable to be rejected.
- 22. The time that is displayed from the server clock at the top of the tender Portal, will be valid for all actions of requesting bid submission, bid opening etc., in the e-Procurement portal. The Time followed in this portal is as per Indian Standard Time (IST) which is GMT+5:30. The bidders should adhere to this time during bid submission.
- 23. All the data being entered by the bidders would be encrypted at the client end, and the software uses PKI encryption techniques to ensure the secrecy of the data. The data entered will not be viewable by unauthorized persons during bid submission and not viewable by any one until the time of bid opening. Overall, the submitted bid documents become readable only after the tender opening by the authorized individual.

- 24. During transmission of bid document, the confidentiality of the bids is maintained since the data is transferred over secured Socket Layer(SSL) with 256 bit encryption technology. Data encryption of sensitive fields is also done.
- 25. The bidders are requested to submit the bids through online eProcurement system to the TIA well before the bid submission end date and time (as per Server System Clock.

The following documents (Scan copy) must be furnished upload with the technical bid failing which tender will not be accepted at all.

- 1. GST/ PAN card copy
- 2. Registration certificate of CPWD, MES, Railways, MCD, PWD or other Central/State Govt./Semi Govt.
- 3. Certificate declaring that the firm has not been debarred/Black listed by the Govt. Deptt./Court of law for doing any business in India.
- 4. Bid Security Declaration Document
- 5. The tender documents duly signed by the concerned firm accepting the same should be attached with technical bid.
- 6. The firm should have experience of two similar nature of works in last three years. Firm should submit experience certificate/ orders in support.

FORMAT OF BID SECURITY DECLARATION FROM BIDDERS IN LIEU OF EMD (On Bidders Letter head)

		the authorized signatory of M/s, participating in the subject tender Nofor the item / job of, do hereby declare :
	>	That I / we have availed the benefit of waiver of EMD while submitting our offer against the subject Tender and no EMD being deposited for the said tender.
>	>	That in the event we withdraw/modify our bid during the period of validity Or I/we fail to execute formal contract agreement within the given timeline OR I/we fail to submit a Performance Security within the given timeline Or I/we commit any breach of Tender Conditions. Contract which attracts penal action of forfeiture of EMD and I/we will be suspended from being eligible for bidding / award of all future contract(s) of ME Unit, Directorate, IARI, New Delhi-11012 for a period of one year from the date of committing such breach.
		Signature and Seal of Authorised Signatory of bidder
		Name of Authorized Signatory
		Company Name

CERTIFICATE TO BE SIGNED BY THE TENDERER

documents. All pages submitted with this tender doc	ument from page to	_ have been filled properly and signed	with seal of the
firm/company.			
Signature of tenderer:			
Name in block letters:			
Name of firm:			
Full address:			
	 No. :		

ii)	Mobile No.:
iii)	Fax No.:
iv)	Email ID:

Signature of Tenderer with office seal